

KAYAK INSTRUCTIONS

Assembly Instructions for Kayak Holder (PR3032N)

Kit contains:

- 4 x cradle assemblies
- 2 x strap assemblies
- 16 x Torx screws
- 4 x C-Clamp adaptors

- 1 x Torx key
- Contact your Prorack dealer if any parts are missing.

STEP 1: Choose your roof rack installation type

Rectangular or T-slot



Rectangular bars similar to this.

Installation on rectangular crossbars: 32 x 22mm



Open C-Clamp. Slide C-Clamp adaptors onto Kayak holder base.



Clamp flap

Fasten the C-Clamp adaptor with the provided screws and torx key. Open clamp flaps.

Note: Clamp flap cannot be opened unless knob is fully backed off (anticlockwise).



Place kayak cradles on crossbars and close the hinge on the C-Clamp adaptor.



T-slot bars similar to this.

Installation to T-Slot crossbars



Slide kayak cradles into T Slots on crossbars.

Step 2: Positioning cradles on crossbars

Slide cradles along crossbars to approximate position for holding kayak.



For wide hulls.



For narrow hulls.

Close clamp flaps and turn clockwise until cradle begins to tighten on crossbars.



Cradles can be installed with longest side facing underneath for wide hulls.



Or with longest side facing outwards for narrow hulls.

Step 3: Loading kayak onto crossbars

Place kayak onto cradles. Take care when lifting.



Step 4: Adjusting cradles

The cradles should fit the hull closely to prevent the kayak getting harmed during transport. Loosen knobs by turning anti-clockwise and ensure pads nestle against hull.



Make sure there is a gap between the keel and crossbar.



Fully tighten knobs by turning clockwise.

Step 5: Secure kayak using tie-down straps

Use the buckle protectors to fully cover buckles so that there is no contact between buckles and hull.



Step 6: Attach a light cord or strap

Attach a cord or strap to the front (and rear if possible) of kayak and secure to bumper or towing hook on vehicle.



Removal

Follow the above instructions in reverse order. Note: Clamp flap cannot be opened unless knob is fully backed off (anticlockwise).

Warranty & Disclaimer

1. Where the product is supplied to the customer for other than business purposes within the meaning of section 43 of the New Zealand Consumer Guarantees Act 1993, the provisions of that Act shall apply. It is important that anyone who fits or uses this product does so in accordance with the manufacturers instructions.
2. Where the product is supplied to the customer for business purposes within the meaning of section 43 of the New Zealand Consumer Guarantees Act 1993, the provisions of that Act and all other representations or terms (including any conditions or warranty expressed or implied by law, statute or otherwise) not expressly included in this leaflet are hereby expressly excluded shall have no effect and the clauses below shall apply. Where the product is supplied and purchased in Australia, the following shall apply:
 - a) THE SUPPLIER WARRANTS the product to be free from defects in materials and/or workmanship for a period of three (3) years from the date of original purchase (the warranty period). Proof of purchase is required. Subject to the limitations and exclusions set out below, the Supplier hereby agrees to remedy any defects in materials or workmanship becoming apparent during the warranty period, by replacing or repairing any defective product or component (at its option) free of charge to the purchaser in respect of replacement parts or labour. Any defective product or component must be notified and where practicable, returned at the purchaser's expense to the Supplier immediately upon discovery of the alleged defect and no attempt made on the part of the purchaser to repair it.
 - b) EXCEPTIONS, EXCLUSIONS AND LIMITATIONS TO WARRANTY. The product and/or its components must be fitted/assembled and loaded in accordance with the Supplier's written instructions and any requirements set out in the car's owner manual. This warranty does not cover defects, loss or damage resulting a circumstances beyond the Supplier's control including, but not limited to misuse, overloading, or failure to assemble and/or fit the product or component in accordance with the Supplier's written instructions. Nor does the warranty cover defects, loss or damage resulting from accidents, unlawful use of the vehicle or defects/inconsistencies in the vehicle on which the product or component is fitted. Liability for direct, indirect, special, punitive, incidental, exemplary, contractual or consequential damage or loss arising from defects, faulty materials or design omissions or negligence or workmanship in the product or its components is hereby expressly excluded. Certain Commonwealth legislation, including the Trade Practices Act 1974, and other State and Territorial legislation confers upon purchasers rights which cannot be excluded from or be restricted or modified by contract. Any conditions, guarantees and/or warranties implied by law and incapable of exclusion are deemed to be expressly incorporated herein. Nothing herein contained is intended nor shall be permitted to be inconsistent with any such conditions, guarantees and/or warranties. To the extent permitted by legislation all conditions, guarantees and/or warranties such as implied warranties which are capable of exclusion are hereby expressly excluded and negated.