




Kit 1606


VOLKSWAGEN Polo, 3-dr Hatchback, 10–



480R Rapid Traverse
754 Rapid System











480 Traverse



THULE[®]
SWEDEN

ISO 11154-E

[illegible]

Kit

349 x 2

1088 x 1

1089 x 1

328 x 2

331 x 1

332 x 1

FR L FR
FR R RL

x 1


1




480R Rapid Traverse
754 Rapid System



480 Traverse











2



480R Rapid Traverse
754 Rapid System



480 Traverse





3




754 Rapid System

1



2




VOLKSWAGEN Polo, 3-dr Hatchback, 10-


X

37

1



2



VOLKSWAGEN Polo, 3-dr Hatchback, 10-

Y

33




480R Rapid Traverse




480 Traverse

1



2



VOLKSWAGEN Polo, 3-dr Hatchback, 10-


X inch

X mm


40 1/4"

1021 mm

1



2



VOLKSWAGEN Polo, 3-dr Hatchback, 10-


Y inch

Y mm







38 5/8"

981 mm


4








VOLKSWAGEN Polo, 3-dr Hatchback, 10–



5








	X mm	Y mm	X inch	Y inch
VOLKSWAGEN Polo, 3-dr Hatchback, 10–	200 mm	730 mm	7 7/8"	26 3/4"







GB/US	Tighten alternately	CZ	Pokřetla багажника dokřećaj dokřećaj napřezmiennie.
D	Die Schrauben abwechselnd anziehen	SK	Dofahujte striedavo
F	Serrer alternativement chaque côté	SLO	Privijajte izmenično.
NL	Afwisselend aan de linker- en de rechterkant aandraaien	HR	Naizmjenično zategniti
I	Alternare il serraggio delle viti	HU	Egymástól függetlenül szorítandó
E	Apretar alternativamente	GR	Σφιγγεται εναλλάξ
PT	Aperte alternadamente	TR	Dönüşümlü sıkın
S	Dra åt växelvis	中文	交替拧紧
FIN	Kierrä vuorotellen	한국어	번갈아 가며 조이십시오.
EST	Pinguldage vaheldumisi	日本語	交互に締め付けてください。
LAT	Pievelciot pamišus	ไทย	ขันในแบบสลับ
LIT	Užsukinėkite pakaitomis		
PL	Śruby dokręcaj naprzemiennie		
RU	Затягивайте попеременно		

6



7





THULE
SWEDEN

**ONE
KEY
SYSTEM**

		544 (x4)
		596 (x6)
		588 (x8)
NA		510 (x10)
EUR		452 (x12)
ASIA		