AUDI Q3/RS Q3 SPORTSBACK 5 DOOR SUV 2019 (NAKED ROOF)

MEASUREMENTS



Front Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg 980 M3

Rear Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg 920

mm



Front Crossbar

Corner of painted or glass roof to leading edge of front pad or foot 145




Crossbar Spread

Rear edge of front crossbar to rear edge of rear crossbar.

810

mm



PITCH SETTINGS



Pitch 1

Adjustment on the front legs to help keep the crossbars level


A



Pitch 2

Adjustment on the rear legs to help keep the crossbars level

C



TOE SETTINGS



Front Toe Setting


Adjustment on the front legs to keep legs and crossbars perpendicular to the vehicle



Rear Toe Setting

Adjustment on the rear legs to keep legs and crossbars perpendicular to the vehicle

2



BASE CLIP DETAILS



Front Product

Name of BaseClip product required for front bar



Rear Product

Name of BaseClip product required for rear bar

BC127



Front Pad

Number on the pads 5 required for the front bar



Rear Pad

Number on the pads required for the rear bar

5



Front Clip Number

Number on the clips required for the front bar

B33



Rear Clip Number

Number on the clips required for the rear bar

B41

UK-151434-278939