JETSTREAM CROSSBAR WITH BASELINE MOUNT

FIAT 500X 5 DOOR SUV 2015 - (NAKED ROOF)

MEASUREMENTS



Front Crossbar

Inner edge of driver's side
leg to inner edge of
passenger's side leg

mm



Rear Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg

923

mm



Front Crossbar


Corner of painted or glass
roof to leading edge of
front pad or foot

178
mm



Crossbar Spread

Rear edge of front crossbar to rear edge of rear crossbar.



PITCH SETTINGS



Pitch 1




Pitch 2





Adjustment on the rear legs to help keep the crossbars level R



TOE SETTINGS



Front Toe Setting


Adjustment on the front legs to keep legs and crossbars perpendicular to the vehicle



Rear Toe Setting

Adjustment on the rear legs to keep legs and crossbars perpendicular to the vehicle

2



2

BASE CLIP DETAILS



Front Product

Name of BaseClip product required for front bar



Rear Product

Name of BaseClip product required for rear bar

BC179



Front Pad

Number on the pads

Rear Pad

Number on the pads

1



required for the front bar



required for the rear bar



Front Clip Number

Number on the clips required for the front bar

B41



Rear Clip Number

Number on the clips required for the rear bar

B43

UK-144590-277859